bold Unlock a keyless life.

Be Bold. Bold Connect.

Connect your Bold Smart Lock with the internet. Easily open the door remotely, share temporary access with others and let the door lock automatically. You're in control - anytime, anywhere. Do we need to say more?



bold Unlock a keyless life.

Unlock a keyless life and connect to

- O multiple smart locks with one Bold Connect
- O insights of all lock activities, like PIN
- o activations and battery level status
- O digital safety by end-to-end data
- encryption on all connected devices
- trusted visitors thanks to two-factor user and device authentication
- the easiest set-up as available locks are are automatically discovered





Specification Bold Connect

MECHANICAL SPECIFICATIONS		COMMUNICATION	
PRODUCT DEFINITION	The Bold Connect enables your Bold Smart Lock to be permanently connected in order to manage and control your locks from the app from anywhere. With a slim form factor, mounting options and a USB(C) interface for an external flexible power supply the Bold Connect can be easily installed anywhere, out of sight, or integrated into existing access control solutions.	BLUETOOTH 5.0 LONG RANGE	The communication between Bold Connect and a Bold Smart Lock is via Bluetooth 5.0 Long Range. This enables the Bold Connect to connect and communicate more easily with many Bold Smart Locks.
		WIFI	The Bold Connect is connected through Wi-Fi in order to communicate with your telephone. Permanent Wi-Fi (802.11 b/g/n) internet connection required.
		DIGITAL SECURITY	 AES128 End-to-End Encryption 2-Factor Authentication
HOUSING	PC, PC/ABS, RoHS, REACH compliant		
DIMENSIONS	68mm x 68mm x 23mm	MOBILE APPLICATION	
WEIGHT	200 grams	IOS APP & ANDROID APP	 Additional functionalities in the App when using Bold Connect: Remotely activating connected Bold Smart Lock Instant granting and revoking backup PIN codes Status check and updates of firmware Bold Smart Lock Overview of all your connected Bold Smart Locks Real time battery monitoring In the app, the Bold Connect is activated by connecting it to Wi-Fi. Using its auto-discover functionality and Bluetooth Long Range it automatically pairs with your Bold Smart Lock(s).
OPERATING TEMPERATURE	+10°C to 40°C (not intended for outdoor use)		
POWER			
USB POWER	The Bold Connect is powered directly from a USB-C interface. The USB power adapter, a 1.2m cable and four different wall socket adapters (EU, UK, US, AU) are included.		

სის

Bold Security Technology B.V.

Proostwetering 41 3543 AC Utrecht The Netherlands

+31(0)85 060 7337

info@boldsmartlock.com

boldsmartlock.com