

UniFi UISP Branding

Q

Search UniFi products

Switching WiFi Camera Security Door Access CloudKeys & Gateways Power Tech Inte



Aggregation > [Enterprise Campus Aggregation](#)

Datasheet

In The Box

Marketing Images

Installation Guide



Mechanical

Dimensions 442.4 x 43.7 x 496 mm (17.4 x 1.7 x 19.5")

Weight 9.9 kg (21.8 lb)

Enclosure material SGCC steel

Slide rails support	The rails support 482.6 mm (19") four-post racks with square holes (9.5 x 9.5 mm) and posts depths ranging from 650 to 1,000 mm (25.6–39.4")
---------------------	--

Hardware

Management interface	Ethernet In-Band
Networking interface	(6) 40G/100G QSFP28 ports (48) 10G/25G SFP28 ports* 1 Gbps port speed is not supported.
Total non-blocking throughput	1.8 Tbps
Switching capacity	3.6 Tbps
Forwarding rate	2.3 Bpps
Power method	(2) Universal input, 100—240V AC
Power supply	(2) Hot-swappable AC/DC 550W power modules
Supported voltage range	100—240V AC
Max. power consumption	340W
ESD/EMP protection	Air: ± 12kV, contact: ± 8kV
Services	SMB Layer3 100G/25G Fiber Switch
LCM display	(1) 1.3" touchscreen
Ambient operating temperature	-5 to 40° C (23 to 104° F)
Ambient operating humidity	10 to 95% noncondensing
Certifications	CE, FCC, IC

Switching Features

Layer 2 features	IGMP snooping STP / RSTP with priorities and port-level disable Port isolation Storm control Voice VLAN Port mirroring LACP port aggregation Multicast / broadcast rate limiting MAC address blocking Flow control Jumbo frames
------------------	---

- Proprietary loop protection
- DHCP snooping / guarding
- Egress rate limit
- LLDP-MED
- Port restricted by MAC
- Device isolation with ACLs
- MC-LAG support

Layer 3 features

- DHCP for locally-managed networks
- DHCP relay
- Inter-VLAN routing between networks on same switch
- Static routing between local networks
- Automatic failover (VRRP)*
- *Support is scheduled for the next UniFi Network Application release.

Etherlighting™

SFP28/QSFP28

- Locating
- Speed/link
- Native VLAN/network

LEDs

System

Status

Application Requirements

UniFi Network

Version 8.5.6 and later

Stay in Touch

Email

Subscribe

